GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – LFB&IMS Department- Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada – Disciplinary proceedings under Rule 20 of the Andhra Pradesh Civil Services (Classification Control and Appeal) Rules, 1991 for the alleged irregularities and grave misconduct - Articles of Charges - Issued.

LABOUR, FACTORIES, BOILERS AND IMS (IMS&VIG) DEPARTMENT

G.O.RT.No. 97 **Dated: 15-04-2025**

Read the following:-

1.From the Director General, ACB, A.P., Vijayawada, Letter RC.No.120/RCT-VKI/2023-S.9, Dated: 23.02.2024.
2. From the DG, ACB, AP., Letter. No. 120/RCT-VKI/2023-S.9, dated: 13.02.2025 along with enclosures.

* * * * *

ORDER:-

It is proposed to hold an inquiry against Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (CCA) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed Statement of Articles of Charges (Annexure-I). A statement of imputations of misconduct or misbehavior on which action is proposed to be taken against him is enclosed (Annexure-II). A list of witnesses by whom and a list of documents by which the Articles of charges are proposed to be sustained are also enclosed (Annexure–III&IV).

3. Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada is directed to submit his written statement of defense within 10 days from the date of receipt of this Government order.

4. Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada is further informed that if he does not submit his written statement of defense on or before the date specified in Para-3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him exparte.

(P.T.O)

6. Attention of Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada is invited to rule 24 of the A.P. Civil Services (Conduct) Rules, 1964 under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to furtherance of his interests in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another persons in respect of any matter dealt with these proceedings, it will be presumed that he is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964.

7. Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada is specifically informed, that this order does not preclude the disciplinary authority to frame fresh charges, if any other irregularities are noticed during the course of disciplinary action.

8. The receipt of this G.O. should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V. SESHAGIRI BABU
SECRETARY TO GOVERNMENT(FAC)

To
Sri Medicherla Satyanarayana, Deputy Chief Inspector of Boilers (Vijayawada Region), Vijayawada **through** the Director of Boilers, Andhra Pradesh, Vijayawada (with a request to serve the Articles of charges on the individual and furnish the dated ACK. of served copy for record).
The Director of Boilers, Andhra Pradesh, Vijayawada.
Copy to:
Andhra Pradesh Vigilance Commission, Velagapudi, Andhra Pradesh.
The Director General, Anti Corruption Bureau, Vijayawada, Andhra Pradesh.

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE-I

STATEMENT OF ARTICLES OF CHARGES FRAMED AGAINST SRI MEDICHERLA SATYANARAYANA, DY. CHIEF INSPECTOR OF BOILERS, VIJAYAWADA REGION, VIJAYAWADA.

That Sri Medicherla Satyanarayana, S/o M.K.S. Prakasa Rao, Dy. Chief Inspector of Boilers, Vijayawada Region, Vijayawada (herein after referred as Government Servant) while functioning as such during the period between 06.07.2022 to 04.10.2023 (till date of trap) committed grave misconduct in as much as:

CHARGE:

That the Government servant Sri Medicharla Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada Region, Vijayawada had demanded and accepted Rs. 1,10,000/- as a bribe from the Complainant Sri Sanikommu Balachandar through Sri Pasupuleti Nagabhushanam, Approved Licensed Boiler Technician, working at M/s PV Koteswara Rao & Sons, Sarada Colony, Guntur for doing an official favour i.e., for the installation of Boiler in Complainant Pharma company i.e., M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC, Kondapalli, NTR District.

Thus Sri Medicherla Satyanarayana, S/o M.K.S. Prakasa Rao, Dy. Chief Inspector of Boilers, Vijayawada Region, Vijayawada, by his above mentioned acts, exhibited lack of devotion to duty, failed to maintain integrity which is unbecoming of an employee and derogatory to the prestige of the Government thereby contravened Rule 3 (1) & (2) of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

M.V. SESHAGIRI BABU
SECRETARY TO GOVERNMENT(FAC)

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE-II

STATEMENT OF IMPUTATION OF MISCONDUCT OR MISBEHAVIOR IN SUPPORT OF THE ARTICLES OF CHARGES FRAMED AGAINST SRI MEDICHERLA SATYANARAYANA, DY. CHIEF INSPECTOR OF BOILERS, VIJAYAWADA REGION, VIJAYAWADA.

Sri Medicherla Satyanarayana, S/o M.K.S. Prakasa Rao is a native of Medicherla Palem, East Godavari District. His date of birth is 01.05.1968. He entered into Government service on 29.02.2000 as Inspector of Boilers, subsequently he was promoted as Deputy Chief Inspector of Boilers on 22.09.2016 and worked at various places in same capacity and working at Vijayawada Region, Vijayawada from 06.07.2022 to 04.10.2023 i.e., date of trap. He is due to retire on attaining the age of superannuation on 31.05.2030. His basic pay is Rs.1,37,220/- In the Pay Scale Rs.76730-162780/-. He is hereinafter referred to as Government Servant (GS).

CHARGE:

That the Government servant Sri Medicharla Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada Region, Vijayawada had demanded and accepted Rs. 1,10,000/- as a bribe from the Complainant Sri Sanikommu Balachandar through Sri Pasupuleti Nagabhushanam AP Government Approved Licensed Boiler Technician, for the installation of Boiler in the Pharma company of Complainant i.e., M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC, Kondapalli, NTR District.

FACTS AND EVIDENCE:

That the complainant, Sri Sanikommu Balachandar purchased a site at Kondapalli in the year 2006 and started a small-scale industry in the name & style of M/s Centaurus Pharma Pvt. Ltd. in December, 2007 and manufacturing 10 types of Medical compounds like Bulk Drugs and intermediates. For this purpose, in December, 2007, he erected with 500 Kgs. capacity Coal boiler in their unit to get steam per hour. At present to expand his unit, he purchased 3,000 Kgs. Capacity new Coal boiler from M/s Pennar Industries Ltd., Tiruchirappalli, Tamilnadu State on 29.06.2023 and the same was delivered to his unit on 01.07.2023. On 20.07.2023 the company delivered the Boiler Folder containing 40 pages of Delivery Letters, Certificates and 8 Boiler Drawings, the material list of Drawings contains Mountings & Fittings, Safety Valve approval Reports and Testing Reports through courier to his unit address and he received the same on 25.07.2023. Later on 29.07.2023 he met Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada along with the said file i.e., Boiler Folder, requested him to permit to install the new boiler at his unit. On that, the Dy. Chief Inspector of Boilers, Patamata, Vijayawada returned the file to him and gave a Approved Repairer/Installers list and directed him to choose P. Nagabhushanam for installation of boiler and he said that Nagabhushanam will explain him how much mamools to be

paid to him (Dy. Chief Inspector of Boilers) and about the work charges to be paid to him (Nagabhushanam). On that he has contacted P. Nagabhushanam for his boiler installation and to attend minor repairs of his existing boiler. Later in the month of August, 2023 Sri Pasupuleti Nagabhushanam, visited his unit and attended his earlier boiler repair works and he has paid Rs. 25,000/- for that. At that time, he requested him to install the newly purchased Boiler. For that he demanded Rs. 3,00,000/- to start and complete the work. He surprised on asking that much of huge amount and on his question, he told him that out of that amount, Rs.1,50,000/- has to be given to the Dy. Chief Inspector of the Boiler Department as bribe and the remaining amount Rs.1,50,000/- as his work charges. He further told to him that whenever he arranges the amount, then he will start the boiler installation work with labour and if the amount is not given to the officials the work will not be commenced. To get clarity on his words on 26.09.2023 he met Sri Satyanarayana, Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada in his office and informed the said facts i.e., Demand made by P. Nagabhushanam to pay Rs.1,50,000/- as bribe amount to give to his office (M.Satyanarayana, Dy. Chief Inspector of Boilers) and Rs.1,50,000/- to him (P. Nagabhushanam) as work charges in total Rs.3,00,000/- has to be paid to him etc., facts and requested him to reduce the amount. On that M.Satyanarayana, Dy. Chief Inspector of the Boiler informed that they have to meet some expenditures for some works and protocols, there is a system going on for such things and he cannot interrupt it and he has to follow the system and he advised that he has to learn tactfulness and he should let the work be completed. On the repeated request, he asked him how much he want to pay. On that he replied that he can pay Rs.2,00,000/-. On that he instructed him to contact Nagabhushanam and follow his words. Later in his presence, he called the said Nagabhushanam on phone and instructed him to complete the work. When he asked him about the payment of money, he asked him to pay the amount to the contractor P.Nagabhushanam and he will follow up the work with Nagabhushanam. On that he has asked him whether he will receive any money he has paid to Nagabhushanam. He replied that he would receive his part. When he submitted the file i.e., Boiler Folder to Dy. Chief Inspector of the Boiler for processing and to complete his work, he returned it and instructed to handover the file to Nagabhushanam, he would only upload his application and do all formalities. As he was not willing to pay the demanded bribe amount to him, he recorded the conversation that took place between him and Sri M.Satyanarayana, Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada in his Cell Phone. Later he contacted Sri Pasupuleti Nagabhushanam, approved Repairer/Installer over his phone and told the said facts to him and requested to start his work. On that, he bluntly told him that before the commencement of work Rs.1,00,000/- had to be paid to him including Govt. challan amounts and Rs.1,10,000/- as bribe to give it to Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada concurrently. After completion of work, at the time of issue of Certificate again Rs.40,000/- bribe to be paid to Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada. He also asked to pay Rs.1,00,000/- after completion of total work as work charge which is a high labour

charge. Finally, Sri Pasupuleti Nagabhushanam, approved Repairer/Installer told to him to arrange the amount of Rs. 2,10,000/(Rs.1,10,000/- bribe amount + Rs.1,00,000/- for commencement of work) as demanded by him. On 29.09.2023 he would visit his unit at Kondapalli and receive the amounts. He recorded the conversation that took place between him and Nagabhushanam in his cell phone. On 28.09.2023 Nagabhushanam contacted him and asked whether he visit the factory tomorrow or Monday. On that he informed him that he may come on Monday as he could not pool-up the money. Again on 02.01.2023 he gave two missed calls to him and on that he contacted him on his cell phone. He told him that he was coming to the factory on 03.10.2023 to receive the amount. On that he asked him to visit the factory on 04.10.2023. Nagabhushanam agreed for it and instructed him to arrange the said money and he would visit the factory by 10.00 am on Wednesday. As he was not willing to pay the demanded bribe amount to Sri M. Satyanarayana, (AO-1) Dy. Chief Inspector of the Boiler through Sri Pasupuleti Nagabhushanam, approved Repairer/Installer, (A-2) on 03.10.2023 he came to the ACB office, Vijayawada and presented this complaint to take necessary action against Sri M.Satyanarayana, Dy. Chief Inspector of Boilers, (Vijayawada Region), Vijayawada & Sri Pasupuleti Nagabhushanam, approved Repairer/Installer as per law. He has also enclosed the HP CD-R which is having the conversations that took place between him and M. Satyanarayana, Dy. Chief Inspector of the Boiler & between him and Sri Pasupuleti Nagabhushanam, approved Repairer/Installer which was copied in CD through his laptop from his phone.

The complainant was asked to come to the ACB office later as and when called by the ACB officials.

That after observing all legal formalities, the DSP, ACB, Vijayawada Range registered the complaint as a case in Cr.No. 12/RCT-ACB-VJA/2023 U/s 7(a), 7(Explanation-2) & Sec. 12 of the Prevention of Corruption (Amendment) Act, 2018 of ACB, Vijayawada, Vijayawada Range on 04.10.2023 at 06.45 hrs and took up investigation.

On 04.10.2023 the DSP, ACB, Vijayawada Range secured the presence of two respectable mediators viz. 1) Sri Konduri Suresh Kumar, S/o Krupanandam, 59 years, Deputy Assistant Commissioner, State Tax, Gollapudi Circle, Krishna Nagar, Yenamalakudu road, Vijayawada, 2) Sri Arja Srinivasa Rao, S/o Satyanarayana, 53 years, Senior Assistant, O/o Deputy Assistant Commissioner, State Tax, Gollapudi Circle, Krishna Nagar, Yenamalakudu road, Vijayawada and secured the presence of the complainant.

The DSP, ACB, Vijayawada Range conducted pre-trap proceedings on 04.10.2023 from 07.30 hours to 10.30 hours which was reduced into writing by the mediators as pre-trap proceedings incorporating the serial numbers of the currency notes, the demonstration of chemical tests and the instructions issued to the complainant and the other members of the trap party.

During the Pre-Trap Proceedings the DSP deputed a team headed by Sri P. Sarath Babu, DSP, ACB, Vijayawada Range, consisting of Sri N. Srinivasu, Inspector, ACB, Sri MD. Nasirulla, SI, ACB and PC 2123 with instructions to cause

enquiries about the movements and whereabouts of Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada and inform the developments of their enquiries from time to time.

On 04.10.2023 at 13.05 hours the A-2 was successfully trapped by the ACB officials when he further demanded and accepted the bribe amount of Rs. 1,10,000/- from the complainant for showing the above said official favour.

On 04.10.2023 at around 11.30 hours, after the complainant left the Trap party in his factory, he went into his room while one of the mediator Sri Konduri Suresh Kumar followed him and sat in front of the computer behaving like a computer operator in his room as instructed by the DSP. At about 11.43 hours, after reaching Vinayaka Temple at Kondapalli IDA, Sri P. Nagabhushanam made a call to him and informed his location and requested to send a person to take him to the location of the factory. Again at 11.57 hours Nagabhushanam made a call to him and informed that none approached him to lead him to the factory. On that he informed that Sri Krishnaiah clerk under him will meet and lead him to the factory. Accordingly, the clerk Krishnalah working under him meet P. Nagabhushanam when he was waiting at Vinayaka Temple and both of them came to the factory on motorcycle at about 12.10 hours. Directly they came into his office room. There, he entrusted the boiler folder papers to P. Nagabhushanam handed over by the firm from whom he purchased the new boiler with capacity of the 3000 kgs. Then P. Nagabhushanam asked him to handover 12 empty signed letter heads with firm stamp. Accordingly, he handed over the black and white printed letter heads, for that P. Nagabhushanam asked him to handover colour letter heads. On that he sent out Sri Krishnaiah, clerk under him to bring colour letter head prints from outside printer, on that Krishnaiah went out of the factory. Then P. Nagabhushanam inspected the proposed site for installation of 3000 kgs boiler in the factory and returned to his office room. Sri Krishnaiah returned from outside, brought colour letter heads, handed over to him and he in turn passed letter heads to P. Nagabhushanam affixing his signatures and firm stamp. Then, in the office room himself, Sri P. Nagabhushanam, clerk Krishnaiah and the mediator Sri Konduri Suresh Kumar behaving like computer operator i.e., 4 persons only present. Then, P. Nagabhushanam asked him to pay the bribe amount of Rs. 1,10,000/- to be paid to Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada (GS). On that he took out three (3) bundles of tainted currency notes from his bag and gave them to P. Nagabhushanam. He received the three bundles, counted them, and kept the three bundles in his right waist secret pocket of his trousers. After receiving the bribe amount of Rs. 1,10,000/- from the complainant P. Nagabhushanam (A-2) made a phone call from his number 6305994377 to the phone number 9849247518 of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada and informed him that he received bribe amount of Rs. 1,10,000/- from him on behalf of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada. After that, P. Nagabhushanam asked him about the advance of work charge of Rs. 1,00,000/- to be paid to him. On that he took out two (2) bundles of Rs. 500/- denomination and gave them to P. Nagabhushanam. He counted, found

them to be Rs. 1,00,000/- and kept the amount in his right side front pocket of his trousers.

The complainant recorded the conversations that ensured between him and Sri P. Nagabhushanam on 04.10.2023 in the afternoon in his office room while Sri P. Nagabhushanam further demanded and accepted bribe of Rs 1,10,000/- from him on behalf of Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada and while Sri P. Nagabhushanam contacted Sri M. Satyanarayana over his phone and informed about his receipt of bribe amount from the complainant in his phone. He added that he copied the audio file in a CD from his phone and handed over the same to the DSP.

As per the instructions of the DSP, the mediators copied the audio file In the CD in a laptop and played the audio file. The conversation was Incorporated in the Mediators Report-II (Post Trap Proceedings).

The Phenolphthalein test conducted on both hand fingers of A-2 the solution changed into pink colour and inner linings of the A-2 right waist secret pocket yielded positive result. Recovered tainted amount of Rs. 1,10,000/- from the A-2 at his own instance.

When the DSP asked Sri P. Nagabhushanam to produce the Manufacturer Folder and the letter heads taken by him from the complainant. On that Sri P. Nagabhushanam produced the plastic folder in his possession before Mediators.

Perusal of the file revealed that it contains 40 sheets and 8 drawings, in total 48 sheets. Further perusal of the file revealed that it contains 1) Form-II, 2) Form-III, 3) Form-IIIA, 4) Certificate, 5) Form-IV A, 6) Valve test certificates, 7) Drawings 8 nos., vide maker No. PVB0083 furnished by M/s Pennar Industries Limited, Tiruchirapalli, Tamilnadu to the complainant issued by The Director of Boilers, Tamilnadu.

The DSP obtained the Photostat copy of the above file containing 48 sheets from outside Photostat shop, got attested by the Director of Boilers, AP, Vijayawada and seized duly signed by Mediators and the DSP.

The above original Manufacturers Folder containing 48 sheets was handed over to Sri Bysani Umamaheswara Rao, Director of Boilers, AP, Vijayawada for further maintenance for completion of official favour in respect of the complainant.

During the Post-Trap Proceedings at the request of the DSP, ACB, Vijayawada the Director of Boilers, AP, Vijayawada has furnished attested copies of the following documents. 1) Attested copy of the Attendance Register of the office of the Deputy Chief Inspector of Boilers, Vijayawada Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada - 2 sheets, 2) Attested copy of the proposed tour program of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada for the month of September-2023 which was approved by the Director of Boilers, AP, Vijayawada on 11.08.2023-3 sheets, 3) Attested copy of the Proposed tour program of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada for the month of October-2023 which was approved by Director of Boilers, AP, Vijayawada on 08.09.2023. - 5 sheets, 4) Attested copy of the Boilers Act-1923 (as amended on 12.12.2007.- 6 sheets, 5) Attested copy of the register of renewals of repairer

licenses in respect of Sri P. Nagabhushanam, M/s P.V. Koteswara Rao and Sons, D.No. 831, 17th line, Sarada Colony, Guntur -2 sheets. The DSP, ACB seized the above attested copies of documents for further investigation.

The DSP confronted Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada (GS) with the statements of Sri P. Nagabhushanam, Govt. Approved Boiler Repairer and the complainant Sri Sanikommu Bala Chandar and questioned him about his demand and acceptance of bribe of Rs. 1,10,000/- from the complainant through Sri P. Nagabhushanam, Govt. Approved Boiler Repairer on 04.10.2023 in the office room of the complainant. But, Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada stated that he did not demand any amount from the complainant. Then, the DSP explained him about the available evidence against him and in support of the allegation against him and Sri P. Nagabhushanam, Govt. Approved Boiler Repairer and again questioned him. But, Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada kept silent and did not give any reply.

Then the DSP played 1) the audio file containing the conversation that ensued between the complainant and Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada on 26.09.2023 and 2) another audio files containing the conversation that ensued between the complainant and Sri P. Nagabhushanam, Govt. Approved Boiler Repairer on 26.09.2023 in the laptop and confronted Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada and Sri P. Nagabhushanam, Govt. Approved Boiler Repairer. Both of them admitted that the voices in the audio files are of them.

Then the DSP observed the scene of offence in our (mediators) presence. The offence occurred at the office room of Managing Director of M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District. The office room is situated in the 1st floor of the production unit of M/s Centaurus Pharma Pvt. Ltd and it is situated on the western side of the Ibrahimpatnam to Mylavaram High way road. The production Unit building consisting of ground+1 floor. The lab unit is situated on the Eastern side of the MD office room. On the western side the daily store room is situated. On the southern side factory compound wall is situated. On the Northern side production unit is situated with 6 reactors with the staff. The MD office room is consisting with one big table with one big chair and 4 small chairs.

The DSP got rough sketch of the above scene of offence drawn by noting vantage positions with the assistance of his staff, which was attested by Mediators and the DSP.

Then the DSP arrested the Accused Officer No.1 Sri Medicharia Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Bollers, Vijayawada, R/o Flat No. 7, Geethanjali Apartments, Mother Therassa circle, Moghalrajapuram, Vijayawada and Accused No.2 Sri Pasupuleti Nagabushanam, S/o Koteswara Rao, 63 years, A.P. Govt. approved boiler repairer, M/s P.V. Koteswara Rao & Sons, D.No. 831, 17th lane, Sarada Colony, Guntur at 23.45 hours on 04.10.2023 in the office room of Sri Sanikommu Bala Chandar, Managing

Director, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, NTR District and further produced before the Court for remand.

During the course of investigation, the Inspector examined Sri Gadde Veera Prasad, S/o Nageswara Rao (late), 48 years, H.No. 8-20-33/7, 3 line, Seeta Nagar, Kothapeta, Guntur who is none other than the son-in-law of A-2 Sri Pasupuleti Nagabhushanam. On examination he stated that the SIM No. 6305994377 registered on his name and the same was being used by his father-in-law i.e., Sri Pasupuleti Nagabhushanam (A-2).

On further the Inspector examined Sri Kottu Suresh Kumar, S/o Moses, 59 years, Superintendent, O/o Director of Boilers, A.P., Amaravathi, Jawahar Autonagar, Vijayawada, R/o D.No. 17-256, 1st floor, Tulasi Nagar, Road No.5, Jawahar Autonagar, Vijayawada. On examination he stated that he is the Superintendent at O/o Director of Boilers, A.P. On examination he stated that procedure aspects of installation of boilers, role of the Deputy Chief Inspector of Boilers and their jurisdiction. The M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District is under the Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada. He further stated that the AO-1 Sri Medicharla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada demanded and accepted Rs. 1,10,000/- as a bribe from the complainant Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No 55-E, F556-A, B, APPIIC Industrial Park, Kondapalli, NTR District through A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur for the installation of Boiler in his factory. The A-2 Sri P. Nagabhushanam used the mobile No. is 6305994377 and he contacted to Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada with his mobile number and etc. facts.

On further the Inspector examined, Sri Jatavathu Srinivasa Rao, S/o Dereeju, 52 years, Inspector of Boilers, High School Road, near Raithu bazar, Patamata, Vijayawada, R/o 3rd line, Vidaya Nagar colony, Opp. Sarpanch plaza, Tadigadapa, Vijayawada. On examination he stated that he is the Inspector of Boilers, Vijayawada, on examination he stated that procedure aspects of installation of boilers, role of the Deputy Chief Inspector of Boilers and their jurisdiction. The Director of Boilers, Amaravathi issued orders vide C1/7390/2023, Dt: 02.11.2023 as completion of pending work I.e., certification of boiler at M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F856, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District. While on 18.11.2023 he went to M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District inspect the tubes, data verification, internal part of boiler as per drawing of boiler in the presence of Sri Sanikommu Balachandar. After completion of work i.e., erection of boiler the same will be intimate to him through phone or email. But, Sri Sanikommu Balachandar did not inform the any Information through phone or email. If, he

receive information regarding erection of boiler, immediately he conduct thorough inspection and hydro test to said boiler when issue certificate on the spot and etc.,facts.

During the investigation recorded the statements of the complainant Sri Sanikommu Balachandar and accompany witness Sri Konduri Suresh Kumar, Deputy Assistant Commissioner U/s 164 Cr.P.C. recorded by the Hon'ble VIII Addl. Metropolitan Magistrate, Vijayawada.

During the investigation, the IO obtained the CDRs, U/s 65(B) Certificates, CAFs of Complainant, AO-1 & A-2 issued by Nodal Officer, Reliance Jio Infocomm LTD and Bharti Airtel Ltd. It reveals the conversation between the Complainant and the Accused-2.

As per the orders of the Hon'ble court vide Crl. MP No. 1388/2023, Dated 18.10.2023, the Expert, A.P. Forensic Science Laboratory, A.P., Mangalagiri recording the voice samples of Sri Medicherla Satyanarayana Deputy Chief Inspector of Boilers, Vijayawada Region, Vijayawada and Sri Pasupuleti Nagabhushanam, A.P. Govt. approved boiler repairer (A-2) and submission of opinion in the report to the Hon'ble court.

During the investigation, the Inspector obtained the Service Particulars of the GS Sri Medicherla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada and License details of the A-2 Sri Pasupuleti Nagabhushanam, A.P. Govt. approved boiler repairer vide Lr. No. A1/7124/2023, dated: 12.10.2023 of Director of Boilers, A.P., Amaravathi.

Hence, there is a charge against the Government Servant that he demanded and accepted bribe amount of Rs. 1,10,000/- through A-2 from the complainant.

Thus Sri Medicherla Satyanarayana, S/o M.K.S. Prakasa Rao, Dy. Chief Inspector of Boilers, Vijayawada Region, Vijayawada, by his above mentioned acts, exhibited lack of devotion to duty, failed to maintain integrity which is unbecoming of an employee and derogatory to the prestige of the Government thereby contravened Rule 3 (1) & (2) of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

Thus, the Government Servant rendered himself liable for departmental action for major penalty.

M.V. SESHAGIRI BABU
SECRETARY TO GOVERNMENT (FAC)

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE-III

ORAL EVIDENCE:

S.No.	Name of the Witness	Evidence to be adduced
1.	Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, R/o D.No.5-7-20, Fraizerpeta Road, Chittinagar, Vijayawada.	He is the complainant in this case and speaks about the contents of the complaint which he has given to DSP on 03.10.2023 and also about the contents of Pre-Trap and Post-Trap Proceedings which are drafted before and after the Trap respectively. He also speaks about the demand and acceptance of bribe amount by the A-2 on behalf of AO-1 on the day of the Trap. He deposed his statement before the Hon'ble VIII Addl. Metropolitan Magistrate for Municipal Mobile Court, Vijayawada U/s 164 CrPC on 04.11.2023
2	Sri Konduri Suresh Kumar, S/o Krupanandam, 59 years, Deputy Assistant Commissioner, State Tax, Gollapudi Circle, Krishna Nagar, Yenamalakuduru road, Vijayawada, R/o Flat No. F1, 2nd floor, beside Srinivasa Enclaves, Pedapulipaka road, Yenamalakuduru, Penamaluru Mandal, Krishna District. 7989552946. (Mediator-1 & Accompany Witness)	He stated that he is the Mediator-1 (Govt. official) in this case and accompany witness. The AO-1 Sri Medicharla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada demanded and accepted Rs. 1,10,000/-as a bribe from the complainant Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, NTR District through A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur for the installation of Boiler in his factory. The A-2 was caught red-handed on 04.10.2023 at 13.05 hours, when the A-2 further demanded and accepted a bribe of Rs. 1,10,000/- from the complainant in his room in addition to Rs. 1,00,000/- towards work charges for the installation of boiler. On further demand of the A-2, the complainant gave the tainted bribe amount of Rs. 1,10,000/- to A-2, which the A-2 is to be paid to AO-1. The A-2 received the tainted bribe amount on behalf of the AO-1. Immediately A-2 contacted AO-1 through phone call from his number 6305994377 to the phone number of AO-1 Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada and Informed him that he received bribe amount of Rs. 1,10,000/- from the complainant on behalf of him and asked him at when he has to handover the bribe amount to the Dy. Chief Inspector of Boilers,

		Vijayawada. Then, AO-1 asked him to handover the bribe amount of Rs. 1,10,000/- received by him from the complainant at 7.00 pm. The A-2 received the tainted bribe amount from the complainant consisting of three bundles Rs. 1,10,000/- from his right hand and kept in his right waist secret pocket of trouser, which proves that the A-2 is committed in consequence of that abetment and etc facts.
3	Sri Gavalapalli Krishnaiah, S/o Satyanarayana, 26 years, Quality Control In-charge, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli R/o Bank colony, Addepalli Street, Kondapalli, NTR District.	He stated that he was working under the complainant and he is the accompany witness. The AO-1 Sri Medicharla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada demanded and accepted Rs. 1,10,000/-as a bribe from the complainant Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, NTR District through A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur for the installation of Boiler in his factory. The A-2 was caught red-handed on 04.10.2023 at 13.05 hours, when the A-2 further demanded and accepted a bribe of Rs. 1,10,000/- from the complainant in his room in addition to Rs. 1,00,000/- towards work charges for the installation of boiler. On further demand of the A-2, the complainant gave the tainted bribe amount of Rs. 1,10,000/- to A-2, which the A-2 is to be paid to AO-1. The A-2 received the tainted bribe amount on behalf of the AO-1. Immediately A-2 contacted AO-1 through phone call from his number 6305994377 to the phone number of AO-1 Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada and informed him that he received bribe amount of Rs. 1,10,000/- from the complainant on behalf of him and asked him at when he has to handover the bribe amount to the Dy. Chief Inspector of Boilers, Vijayawada. Then, AO-1 asked him to handover the bribe amount of Rs. 1,10,000/- received by him from the complainant at 7.00 pm. The A-2 received the tainted bribe amount from the complainant consisting of three bundles Rs. 1,10,000/- from his right

		hand and kept in his right waist secret pocket of trouser, which proves that the A-2 is committed in consequence of that abetment and etc facts.
4	Sri Desireddy Satyanarayana, S/o Venkata Reddy, 39 years, Production In-charge, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, R/o B-Colony, near Chinna Saibaba Temple, Kondapalli, NTR District.	He stated that he was working as Production In-charge, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli. He further stated that the A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur was caught red-handed on 04.10.2023 at 13.05 hours, when the A-2 further demanded and accepted a bribe of Rs. 1,10,000/-from the complainant in his room in addition to Rs. 1,00,000/- towards work charges for the installation of boiler. On further demand of the A-2, the complainant gave the tainted bribe amount of Rs. 1,10,000/- to A-2, which the A-2 is to be paid to AO-1 Sri M.Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada. The A-2 received the tainted bribe amount on behalf of the AO-1. Immediately A-2 contacted AO-1 through phone call from his number 6305994377 to the phone number of AO-1 and informed him that he received bribe amount of Rs. 1,10,000/- from the complainant on behalf of him and asked him at when he has to handover the bribe amount to the Dy. Chief Inspector of Boilers, Vijayawada. Then, AO-1 asked him to handover the bribe amount of Rs. 1,10,000/- received by him from the complainant at 7.00 pm. The A-2 received the tainted bribe amount from the complainant consisting of three bundles Rs. 1,10,000/- from his right hand and kept in his right waist secret pocket of trouser, which proves that the A-2 is committed in consequence of that abetment and etc facts.
5	Sri Vammi Naga Raju, S/o Venkateswara Rao, 32 years, Production Dept., M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, R/o Bank colony, Addepalli Street, Kondapalli, NTR District.	He stated that he was working in Production Dept., M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli. He further stated that the A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur was caught red-handed on 04.10.2023 at 13.05 hours, when the A-2 further demanded and accepted a bribe of Rs. 1,10,000/-from the complainant in his room in addition to Rs. 1,00,000/- towards work charges for the installation of boiler. On

		further demand of the A-2, the complainant gave the tainted bribe amount of Rs. 1,10,000/- to A-2, which the A-2 is to be paid to AO-1 Sri M.Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada. The A-2 received the tainted bribe amount on behalf of the AO-1. Immediately A-2 contacted AO-1 through phone call from his number 6305994377 to the phone number of AO-1 and informed him that he received bribe amount of Rs. 1,10,000/- from the complainant on behalf of him and asked him at when he has to handover the bribe amount to the Dy. Chief Inspector of Boilers, Vijayawada. Then, AO-1 asked him to handover the bribe amount of Rs. 1,10,000/- received by him from the complainant at 7.00 pm The A-2 received the tainted bribe amount from the complainant consisting of three bundles Rs. 1,10,000/- from his right hand and kept in his right waist secret pocket of trouser, which proves that the A-2 is committed in consequence of that abetment and etc facts.
6	Sri Bysani Umamaheswara Rao, S/o Koteswara Rao (late), 58 years, Director of Boilers, AP, Vijayawada.	He is the superior of the AO-1, on examination he stated that procedure aspects of installation of boilers, role of the Deputy Chief Inspector of Boilers and their jurisdiction. He further stated that the AO-1 Sri Medicharla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada demanded and accepted Rs. 1,10,000/- as a bribe from the complainant Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No.55-E, F&56-A, B, APPIIC Industrial Park, Kondapalli, NTR District through A-2 Sri P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur for the installation of Boiler in his factory. The A-2 was caught red-handed on 04.10.2023 at 13.05 hours, when the A-2 further demanded and accepted a bribe of Rs. 1,10,000/- from the complainant in his room in addition to Rs. 1,00,000/- towards work charges for the installation of boiler. On further demand of the A-2, the complainant gave the tainted bribe amount of Rs1,10,000/- to A-2, which the A-2 is to be

		paid to AO-1. The A-2 received the tainted bribe amount on behalf of the AO-1. Immediately A-2 contacted AO-1 through phone call from his number to the phone number of AO-1 Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada and informed him that he received bribe amount of Rs. 1,10,000/- from the complainant on behalf of him and asked him at when he has to handover the bribe amount to the Dy. Chief Inspector of Boilers, Vijayawada. Then, AO-1 asked him to handover the bribe amount of Rs. 1,10,000/- received by him from the complainant at 7.00 pm The A-2 received the tainted bribe amount from the complainant consisting of three bundles Rs. 1,10,000/- from his right hand and kept in his right waist secret pocket of trouser, which proves that the A-2 is committed in consequence of that abetment and etc., facts.
7	Sri Arja Srinivasa Rao, S/o Satyanarayana, 53 years, Senior Assistant, O/o Deputy Assistant Commissioner, State Tax, Gollapudi Circle, Krishna Nagar, Yenamalakuduru road, Vijayawada, R/o D-2, Residence, Tadigadapa, (Mediator-2). Sri Vigneswara Manoj Nagar, Krishna District.	He is another mediator speaks about witnessing the demand statement of the complainant and perusal of the FIR at the time of drafting Mediator Report-I & Mediator Report-II (Pre Trap & Post Trap Proceedings).
8	Sri Gadde Veera Prasad, S/O Nageswara Rao (late), 48 years, H.No. 8-20-33/7, 3rd line, Seeta Nagar, Kothapeta, Guntur. 9701706063.	He stated that SIM No. 6305994377 is taken from concerned provider on his name. After that the SIM No. was given to Sri Pasupuleti Nagabhushanam (A-2) who is uncle (his wife's father).
9	Sri Kottu Suresh Kumar, S/o Moses, 59 years, Superintendent, O/o Director of Boilers, A.P., Amaravathi, Jawahar Autonagar, Vijayawada, R/o D.No. 17-256, 1st floor, Tulasi Nagar, Road No.5, Jawahar Autonagar, Vijayawada. 8919164903, 9346614932.	He is the Superintendent at O/o Director of Boilers, A.P., on examination he stated that procedure aspects of Installation of boilers, role of the Deputy Chief Inspector of Boilers and their jurisdiction. The M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District is under the Sri M. Satyanarayana, Deputy Chief Inspector of

		Boilers, Vijayawada. He further stated that the AO-1 Sri Medicharla Satyanarayana, S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers, Vijayawada demanded and accepted Rs. 1,10,000/- as a bribe from the complainant Sri Sanikommu Balachandar, S/o Venkata Narayana, 51 Years, Managing Director, M/s Centaurus Pharma Pvt. Ltd., Plot No 55 E, F&56-A, B, APPIIC Industrial Park Kondapalli, NTR District through A-25 P. Nagabhushanam, Govt. Approved Boilers Repairer, Guntur for the Installation of Boiler in his factory. The A-2 Sri P. Nagabhushanam used the mobile No. is 6305994377 and he contacted to Sri M. Satyanarayana, Deputy Chief Inspector of Boilers, Vijayawada with his mobile number and etc facts.
10	Sri Jatavathu Srinivasa Rao, S/o Dereeju, 52 years, Inspector of Boilers, High School Road, near Raithu bazar, Patamata, Vijayawada, R/o 3rd line, Vidaya Nagar colony, Opp. Sarpanch plaza, Tadigadapa, Vijayawada. Ph.No. 7680073761 (O),9959930525 (P).	He is the Inspector of Boilers, Vijayawada, on examination he stated that procedure aspects of installation of boilers, role of the Deputy Chief Inspector of Boilers and their jurisdiction. The Director of Boilers, Amaravathi issued orders C1/7390/2023, Dt: 02.11.2023 vide as completion of pending work i.e. certification of boiler at M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District. While on 18.11.2023 he went to M/s Centaurus Pharma Pvt. Ltd Factory located at Plot No.55-E, F&56, A and B, APPIIC Industrial park, Kondapalli, Ibrahimpatnam Mandal, NTR District inspect the tubes, data verification, internal part of boiler as per drawing of boiler in the presence of Sri Sanikommu Balachandar. After completion of work i.e., erection of boiler the same would be intimated to him through phone or email. But, Sri Sanikommu Balachandar did not inform the any information through phone or email. If, he receive Information regarding erection of boiler, immediately he conduct thorough inspection and hydro test to said boiler when issue certificate on the spot and etc facts.
11	Sri V. Vijaya Kumar Reddy, Hon'ble VIII Addl. Metropolitan Magistrate, Vijayawada.	To speak to the facts about the recorded statements of LWs.1 and 2 u/s 164 Cr.P.C. etc. facts.

12	Official of AP Forensic Science Laboratory, Mangalagiri, Guntur dist	To Speak about recording of voice samples of Sri Medicherla Satyanarayana, Deputy Chief Inspector of Bollers, Vijayawada Region, Vijayawada and Sri Pasupuleti Nagabushanam, A.P. Govt. approved boiler repairer (A-2) and submission of opinion in the report and etc facts.
13	Sri B. Srinivas, Deputy Supdt. of Police, Anti-Corruption Bureau, Vijayawada Range.	To speak to the facts about the receiving complaint from the LW.1 and the same was registration of the case and conducting of Mediators Report-I (Pre-Trap Proceedings) and Mediator Report-II (Post-Trap Proceedings) on 04.10.2023 and etc facts.
14	Sri A.V. Siva Kumar, Inspector-II, Anti-Corruption Bureau, Vijayawada Range, Vijayawada.	To speak to the facts of his conducting further investigation and etc. facts.
15	Sri G.V.V. Satyanarayana, Inspector-II, Anti-Corruption Bureau, Vijayawada Range, Vijayawada.	To speak to the facts and prepared the DACs against the GS and etc facts.

M.V. SESHAGIRI BABU
SECRETARY TO GOVERNMENT (FAC)

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE – IV

Documentary Evidence:-

S.No	Name of the Witness	Evidence to be adduced
1	Copy of Complaint dated 03.10.2023 given by the complainant.	It reveals the facts of the demand of a bribe amount of Rs.1,10,000/- by the Accused Officer for doing an official favour pending with him.
2	Copy of FIR in Cr.No. 12/RCT-ACB-VJA/2021, dt. 04.10.2023.	It reveals that a report was received from the complainant about the demand of a bribe and registration of the case against the Accused Officers AO-1 & A-2.
3	Copy of Mediators' Report-I:	It reveals Pre-Trap happenings, dated 04.10.2023.
4	Copy of Mediators' Report-II:	It reveals Post-Trap happenings, dated 04.10.2023.
5	Official favour file/ Made up files: Copy of Made-up File -1: Attested copy of Manufacturer Folder pertaining to the complainant containing 48 sheets.	
6	Copy of Made-up File -2: Attested copy of the Attendance Register of the office of the Deputy Chief Inspector of Boilers, Vijayawada Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada 3 sheets.	
7	Copy of Made-up File -3: Attested copies of the proposed tour program of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada for the months of July and September-2023 which was approved by the Director of Boilers, AP, Vijayawada on 05.06.2023 and 01.08.2023 respectively 6 sheets.	
8	Copy of Made-up File -4: Attested copy of the Proposed tour program of Sri M. Satyanarayana, Dy. Chief Inspector of Boilers, Vijayawada for the month of October-2023 which was approved by Director of Boilers, AP, Vijayawada on 08.09.2023. - 5 sheets.	
9	Copy of Made-up File -5: Attested copy of the Boilers Act-1923 (as amended on 12.12.2007 - 6 sheets.	
10	Copy of Made-up File -6: Attested copy of the register of renewals of repairer licenses in respect of Sri P. Nagabhushanam, M/s P.V. KoteswaraRao and Sons, D.No. 831, 17th line, Sarada Colony, Guntur - 2 sheets.	
11	164 Cr.P.C. statement of the complainant Sri Sanikommu Balachandar recorded by the Hon'ble III Metropolitan Magistrate, Vijayawada.	
12	164 Cr.P.C. statement of the Accompany witness Sri Konduri Suresh Kumar, S/o Krupanandam, 59 years, Deputy Assistant Commissioner, State Tax, Gollapudi Circle (Mediator-I) recorded by the Hon'ble III Metropolitan Magistrate, Vijayawada.	

13	The Nodal Officer, Reliance Jio Infocomm LTD, Vijayawada.	It reveals that the Nodal Officer furnished the 65 (B) Certificate, CAF and CDRs of the Complainant and the A-2 and etc. facts.

14	The Nodal Officer, Bharti Airtel Ltd., Begumpeta Hyderabad	It reveals that the Nodal Officer furnished the 65 (B) Certificate, CAF and CDRs of the GS and etc. facts.
15	Lr.No.A1/7124/2023, Dated:12.10.2023 of Director of Boilers A.P., Amaravathi.	It reveals that the Service Particulars of the GS Sri Medicherla Satyanarayana S/o M.K.S. Prakasa Rao, 55 years, Deputy Chief Inspector of Boilers Vijayawada and License details of the A-2 Sri Pasupuleti Nagabhushanam, S/o Koteswara Rao, A.P. Govt. approved Boiler Repairer, M/s. P.V.Koteswara Rao & Sons, Guntur and etc facts.
16	Copy of Report/Opinion of Expert, A.P. Forensic Science Laboratory, A.P., Mangalagiri for the Specimen sample voice report of the Government Servant Sri Medicharla Satyanarayana.	
17	Any other document to be filed at the time of enquiry.	

M.V. SESHAGIRI BABU
SECRETARY TO GOVERNMENT (FAC)

//FORWARDED::BY ORDER//

SECTION OFFICER